

Table 3. Prediction of Onset of 3 Disorders as a Function of Event Category Within the Month of Occurrence of High-Threat Events

Life Event Dimension and Category	Hazard Ratio (95% CI)		
	MD Only	MD + GAS	GAS Only
Loss			
Death	2.99 (1.76-5.09)*	2.64 (1.34-5.18)†	1.05 (0.49-2.25)
Respondent-initiated separation	3.18 (1.76-5.75)*	1.78 (0.77-4.08)	1.20 (0.52-2.78)
Other key loss	2.58 (1.70-3.93)*	2.97 (1.79-4.92)*	2.06 (1.34-3.18)*
Humiliation			
Other-initiated separation	3.09 (2.10-4.57)*	2.88 (1.87-4.44)*	NE
Other's delinquency	1.58 (0.64-3.82)	1.55 (0.57-4.24)	NE
Put down	1.73 (1.14-2.64)†	1.70 (1.12-2.88)‡	NE
Entrapment			
Long-term sustained entrapment	NE	2.74 (1.19-6.32)‡§	NE
Long-term worsened entrapment	NE	2.18 (0.79-6.02)§	NE
Failed positive event	NE	NE	NE

Abbreviations: CI, confidence interval; GAS, generalized anxiety syndrome; MD, major depression; NE, could not be estimated because of small sample size.

* $P < .001$.

† $P < .01$.

‡ $P < .05$.

§Estimated for the month after event occurrence.

Table 3. Prediction of Onset of 3 Disorders as a Function of Event Category Within the Month of Occurrence of High-Threat Events